IN STOCK · CALIFORNIA

Daegu Pre-Hung Interior Door Set

A complete, pre-finished interior door in one box: real wenge veneer over a solid core, a plywood frame and jamb, pre-cut casings, concealed hinges and a magnetic-latch lock. Ready to ship from California, with no minimum order.



The Daegu set in wenge veneer

Ready to ship
From California, no minimum order

3 to 10 business days
Typically, after dispatch, depending on destination and carrier

5 sizes, 24 to 36 in.
80 in. nominal height, slab 1 9/16 in.

Reversible
Left or right hand, in-swing or out-swing

Sizes in Stock

DOOR SIZE	SKU	ROUGH OPENING
24 × 80 in.	**DAG-2480-WNG**	26 × 82 in.
28 × 80 in.	**DAG-2880-WNG**	30 × 82 in.
30 × 80 in.	**DAG-3080-WNG**	32 × 82 in.
32 × 80 in.	**DAG-3280-WNG**	34 × 82 in.
36 × 80 in.	**DAG-3680-WNG**	38 × 82 in.

One finish: real wenge veneer, pre-finished. Rough opening is 2 in. wider and 2 in. taller than the door. Stock is confirmed when you order.

Fits finished walls 4 1/2 to 5 in. thick. The 4 9/16 in. jamb takes telescoping L-casings that slide in or out to fit your wall. Ask us before ordering if your walls fall outside this range.

Order by SKU
Email the SKUs and quantities to info@baraven.com, or order at baraven.com/daegu. We confirm stock, freight, sales tax and the total by email.

Watch it go in
The 1-minute installation video: youtube.com/shorts/0rLqLNXQols

Showrooms and dealers
One SKU is one complete opening, ready to list. Trade pricing and a display unit: baraven.com/dealer-distribution

SAME SYSTEM, MADE TO ORDER

Need Other Sizes, Finishes or a Larger Quantity?

Custom orders use the same door system, made to your door schedule in our factory: your sizes and finish, with L-casings sized to your walls. Custom orders ship knockdown, with the door, frame and casing parts packed flat, so more openings fit in each container. Custom door orders typically take 12–14 weeks from the start of production to delivery at your site. Factory-made orders have a minimum order quantity, confirmed in your quote. **baraven.com/custom-interior-doors**

© 2026 MR DOOR US INC DBA BARAVEN

01 · WHAT'S IN THE BOX

Everything for One Opening, in One Box


Each set arrives pre-hung, factory-machined (mortised and bored) and pre-finished. The hinges and lock are installed at our factory.



2 concealed hinges. Adjustable, 115 mm; installed.




A concealed hinge with the door open. Closed, nothing shows.



Magnetic-latch mortise lock with key and privacy function, installed. Black handle set, attached on site.




6 telescoping L-casings. Pre-cut, wenge-veneered plywood.



The L-casings slide into a groove in the jamb to fit walls 4 1/2 to 5 in. thick.



7 installation brackets, attached to the frame.



The box each set ships in. Cartons carry the name MR DOOR US INC, the company that operates BARAVEN.



In-stock door sets, boxed one per opening, stacked on pallets in California.

ONE SKU · ONE BOX · ONE OPENING

Sell It by the SKU

Every SKU is one complete opening, packed in one box of about 95 lb:

- The door, pre-hung in its plywood frame (no MDF)
- 6 pre-cut telescoping L-casings
- 2 concealed hinges and the magnetic-latch mortise lock, installed
- Black handle set and 7 installation brackets

Order by SKU and quantity. The boxes lie flat and stack on pallets for storage and delivery, and one box goes to one opening on site.

© 2026 MR DOOR US INC DBA BARAVEN

02 · SPECIFICATIONS

Specifications

Face	Real wenge wood veneer, pre-finished. Natural veneer varies in color and grain.
Core	Solid core (particleboard)
Frame, jamb, casings	Plywood, no MDF
Jamb	4 9/16 in.; fits finished walls 4 1/2 to 5 in.
Rough opening	Door size + 2 in. in width and height
Configuration	Reversible: left or right hand, in-swing or out-swing
Preparation	Pre-hung, pre-framed, factory-machined (mortised and bored), pre-finished
Delivery	Typically 3 to 10 business days after dispatch, depending on destination and carrier
Warranty	Limited 2-year warranty: see our Terms at baraven.com/terms
Made in	Our factory in China

03 · BEFORE YOU ORDER

Check Three Things at Each Opening

The opening

Frame each rough opening 2 in. wider and 2 in. taller than the door (32 × 82 in. for a 30 × 80 in. door), and include the measured size in your order.

Finished wall thickness

4 1/2 to 5 in. The L-casings adjust within this range. Ask us before ordering if your walls fall outside it.

Swing and hand

The set is reversible: confirm left or right hand and in-swing or out-swing for each opening on site.

04 · ON SITE

How the Set Goes In

1. **Unbox the set.** Lay the box flat with the hardware box facing up, then lay out every part, including the six L-casings.
2. **Remove the shipping board** from the bottom of the door.
3. **Attach the handle** to the magnetic-latch mortise lock, which comes installed.
4. **Place the unit:** set the pre-hung frame and door into the prepared doorway.
5. **Secure the brackets:** level the unit and secure it with the seven brackets attached to the frame.
6. **Fit the L-casings** to finish the opening.

Install following the installation guidelines supplied with your order; we recommend a qualified installer. Installation video: youtube.com/shorts/0rLqLNXQols



Installation steps, from the box to the finished opening (illustration).

Order or check stock

Email your sizes and quantities to info@baraven.com, or order at baraven.com/daegu.

Other sizes or finishes

Same system, made to order and shipped knockdown: baraven.com/custom-interior-doors

Showrooms and dealers

Trade pricing and a display unit: baraven.com/dealer-distribution

© 2026 MR DOOR US INC DBA BARAVEN